

Product Code: SODE/0005-SODE/0006

Description: HPS150W/ED90/C/U/E40/Europe-HPS250W/ED90/C/U/E40/Europe

Product Name: High Pressure Sodium Lamps

Technical Performance Data Sheet

SODE/0006:HPS150W/ED90/C/U/E40

Light Output (Lumens/100Hrs)	14000/27000
Lamp Lumens Per Watt	93-108
Mean Output (Lumens)	11900-23000
Rated Life (Hours)	24000
Color Temperature (k)	2000K
Chromaticity (CIE-x/y)	NA
Color Rendering Index (CRI)	25
To 90% Warm Up Time (Minute)	5 Minutes
Hot Restart Time (Minute)	1 to 2 Minutes
Burning Position	UNIVERSAL



Physical Data/ Requirements

Base Designation	E40
Bulb Designation	ED90
Bulb Diameter mm	Φ90mm
Max Overall Length (MOL) mm	227mm
Light Center Length (LCL) mm	NA
Effective Arc Length	NA
Max Base Temperature	190C (374°F)
Max Bulb Temperature	400C (842°F)
Luminaire type	OPEN/ENCLOSED
Socket Pulse Rating (V)	≥5000V

SODE/0006:HPS250W/ED90/C/U/E40



Electrical Data/ Requirement

Lamp Wattage (W)	150W/250W
Operating Voltage (V)	100V
Operating Current (Amps)	1.80A/3.00A
Min. Open Circuit Voltage (RMS)	198V
Min Max Starting Pulse (Peak v)	2500-3500V/2500-4500V
Min Pulse Width (u sec)	1
Min Pulse Rate Per 1/2 Cycle	1
Pulse Position (Min.% OCV Peak)	60° ~ 90°
Revision :	17/09/2012

This lamp can cause skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured.

Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used, *This is for reference, not the absolute standard.